

ZEON



Flagship model of Zeon range

Low-cost solution

Capable of withstanding harsh environments

Ideal for budget-conscious commercial operators

Available in mono or twin

Diesel, Gas Oil and Biodiesel

0.25% meter accuracy

Stainless steel construction

Compatible with fuel management systems

Zeon Commercial

Zeon is Pumptronics' low-cost solution for those operators looking to install a hard-working, reliable pump at a fraction of the cost of our premium C-Series range.

Though we have designed this to offer a low-cost approach to fuelling, the quality has not been comprised in any way. As with our C-Series range, the Zeon range is manufactured using the same stainless steel chassis design, meaning you can rely on it to withstand the toughest of environments.

Zeon's compact size makes it ideal for locating within the end cabinet of the bunded area of a tank pack.

The Zeon range is not approved for re-sale or ATEX approved, however it does represent a solid, reliable and rugged solution for the commercial environment where cost considerations are important.

Crucially, it can be linked to a variety of fuel management systems, including our Fuel Scout Plus, to provide the ultimate in control.

ZEON



Zeon Commercial

Specification

- › Stainless steel construction
- › 50/70/90 LPM
- › Pumping unit with full air separation (not available in dispenser format)
- › Meter accuracy of 0.25%
- › Available in mono or twin
- › 'Latch open' nozzles
- › Electronic head enclosure with illuminated volume display, one side only
- › Integral nozzle locking
- › Left or right-hand nozzle boot
- › Not approved for resale, not ATEX approved
- › Pulse output interfaces 100PPL or 10PPL for fuel management systems
- › Diesel fuels only
- › 12 months warranty

Options

- › Optional Second side display
- › Matching stainless under pump plinths for sites without suitable islands
- › Galvanised under-pump cradles/stools for new installations
- › Breakaway hose coupling and 'pigtail'
- › Biodiesel option available
- › Front-loading nozzles

Dimensions

- › **Mono:** 1150mm (H) x 370mm (W) x 450mm (D) – Weight: 84kg
- › **Twin:** 1150mm (H) x 540mm (W) x 450mm (D) – Weight: 140kg

Checklist

- ✓ Diesel Only
- ✓ Alternative Fuel
- ✓ Electronic

ZEON



Zeon Commercial

Product codes

Part no	Description
ZE11LC	Zeon Mono Suction Single Sided (50 LPM)
ZE11MC	Zeon Mono Suction Single sided (70 LPM)
ZE11HC	Zeon Mono Suction Single Sided (90 LPM)
ZE11LC-DISP	Zeon Mono Dispenser Single Sided (50 LPM)
ZE11LC-DISP	Zeon Mono Dispenser Single Sided (90 LPM)
ZE22LC	Zeon Twin Suction Single Sided (50/50 LPM)
ZE22LHC	Zeon Twin Suction Single Sided (50/90 LPM)
ZE22HC	Zeon Twin Suction Single Sided (90/90 LPM)
ZE22LC-DISP	Zeon Twin Dispenser Single Sided (50/50 LPM)
ZE22LHC-DISP	Zeon Twin Dispenser Single Sided (50/90 LPM)
ZE22HC-DISP	Zeon Twin Dispenser Single Sided (90/90 LPM)
	Front loading nozzle options for both Mono & Twins

Accessories

ZEDIS001	Second Side Volume Only Display – Mono Pump
ZEDIS002	Second side Volume Only Displays – Twin Pump
ZESB50-70	¾" Breakaway & Pigtail 50 & 70 LPM
ZESB90	1" Breakaway & Pigtail 90 LPM
MS000012	Galvanised Under Pump Stool – Mono
MS000022	Galvanised Under Pump Stool – Twin
Plinthkit-Mono	Standard St/St Plinth kit for Mono
Plinthkit-Twin	Standard St/St Plinth kit for Twin
ZEONMONOSALASS	Solenoid for Mono Zeon
ZETWINSOLASS	Solenoid assembly for Twin Zeon 80
NC002081	GRP Mono Under Pump Sump
NC002082	GRP Twin Under Pump Sump